



PRODUCT SPECIFICATIONS

.Content

PALLETS.....	3
Economy Box, 25 cm.....	3
Economy Box, 37 cm.....	4
Economy Box, 30 cm.....	5
Convenience Box, 25 cm.....	6
Convenience Box, 30 cm.....	7
Convenience Box, 45 cm.....	8
Mini Box, 25 cm.....	9
UK Standard large.....	10
UK Standard small.....	11
BAGS.....	12
Regular bag, 25 cm.....	12
Regular bag, large 25 cm.....	13
Neatty bag, 25 cm.....	14
Sparky bag, 14 cm.....	16
TORCHES.....	17
Evening Lighter, birch 25 cm.....	17

PALLETS

Economy Box, 25cm

Description

Kiln dried logs in pallets.

Product

Name	Economy Box, 25 cm,
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	720-800 kg, weight depends on firewood type
Product code	MAK125, MBK125, MOK125

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 113 x 79 x 185 cm, external 118 x 82 x 200cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a truck/refrigerator	30
Number of pallets in 45ft HCPW container	32

Product visualization



Economy Box, 37cm

Description

Kiln dried logs in pallets.

Product

Name	Economy Box, 37 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100% on request
Moisture*	< 1%
Firewood length*	37 cm (1 cm deviation)
Firewood diameter*	7-15 cm
Palletization	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	720-800 kg
Product code	MAK137, MBK137, MOK137

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 113 x 79 x 185 cm, external 118 x 82 x 200 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a truck/refrigerator	30
Number of pallets in 45ft HCPW container	32

Product visualization



Economy Box, 30cm

Description

Kiln dried logs in pallets.

Product

Name	Economy Box, 30 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	30 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	830-900 kg
Product code	MAK330, MBK330, MOK330

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 113 x 90 x 185 cm, external 118 x 95 x 200 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a truck/refrigerator	26

Product visualization



Convenience Box, 25cm

Description

Kiln dried logs in pallets.

Product

Name	Convenience Box, 25 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	400 kg
Product code	MAK225, MBK225, MOK225

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 113 x 79 x 90 cm, external 118 x 82 x 105 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet, double-stack
Number of pallets in a truck/refrigerator	60
Number of pallet in 45ft HCPW container	64

Product visualization



Convenience Box, 30cm

Description

Kiln dried logs in pallets.

Product

Name	Convenience Box, 30 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	30 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	400 kg
Product code	MAK230, MBK230, MOK230

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 80x113x90cm, external 85x118x105cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet, double-stack
Number of pallets in a truck/refrigerator	60
Number of pallets in 45ft HCPW container	64

Product visualization



Convenience Box, 45cm

Description

Kiln dried logs in pallets.

Product

Name	Convenience Box, 45 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	45 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletisation	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	450 kg
Product code	MAK445, MBK445, MOK445

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 113 x 90 x 90 cm, external 118 x 95 x 105 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet, double-stack
Number of pallets in a truck/refrigerator	52

Product visualization



Mini Box, 25cm

Description

Kiln dried logs in mini pallets.

Product

Name	Mini Box, 25 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100%
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletisation	Neatly stacked on a pallet, as per the photo enclosed
Pallet weight	175 kg
Product code	MAK725, MBK725, MOK725

* See moisture measurement procedure.


Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 75 x 55 x 90 cm, external 80 x 60 x 105cm
Pallet strengthening	Polypropylene strap.
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet, double-stack
Number of pallets in a full truck/refrigerator	120

Product visualization



UK Standard large

Description

Kiln dried logs in UK Standard pallets.

Product

Name	KD 25 cm firewood in 115 x 110 x 160 cm crates
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet
Pallet weight	780 kg
Product code	MAK525, MBK525, MOK525

* See moisture measurement procedure.

Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 110 x 105 x 145 cm, external 115 x 110 x 160 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a truck/refrigerator	22
Number of pallets in 40ft HCPW container	22

UK Standard small

Description

Kiln dried logs in UK Standard pallets.

Product

Name	KD 25 cm firewood in 115 x 109 x 80 cm crates
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>), Oak (<i>Quercus</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletization	Neatly stacked on a pallet
Pallet weight	390 kg
Product code	MAK625, MBK625, MOK625

* See moisture measurement procedure.

Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Inner 110 x 105 x 65 cm, external 115 x 110 x 80 cm
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a truck/refrigerator	22
Number of pallets in 40ft HCPW container	22

BAGS

Regular bag, 25cm

Description

Kiln dried logs in net bags.

Product

Name	Regular bag, 25 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100%
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Bag size	45x60
Bag weight	Not less than 9kg
Palletisation	40 bags per pallet
Pallet weight	405 kg
Product code	MAKEA25SS40, MBKEA25SS40

* See moisture measurement procedure.

Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Euro pallet
Pallet strengthening	Perforated film wrap
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a full truck/refrigerator	60

Product visualization



Regular bag, large 25cm

Description

Kiln dried logs in net bags.

Product

Name	Regular bag, large 25 cm
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100%
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Bag size	50x70
Bag weight	Not less than 14 kg
Palletisation	28 bags per pallet
Pallet weight	440 kg
Product code	MAKEB25SS28, MBKEB25SS28

* See moisture measurement procedure.

Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements	Euro pallet
Pallet strengthening	Perforated film wrap
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a full truck/refrigerator	60

Product visualization



Neatty bag, 25 cm

Description

Kiln dried logs in VLI plastic bags.

Product

Name	Neatty bag
Type of wood	Common ash (<i>Fraxinus excelsior</i>), Silver birch (<i>Betula Pendula</i>)
Wood quality*	Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Firewood length	25 cm (1 cm deviation)
Firewood diameter	7-15 cm
Palletisation	44 bags per pallet
Pallet weight	480 kg
Product code	MAKEV25SS44, MBKEV25SS44

* See moisture measurement procedure.

Packaging

Pallet standard	EURO pallet
Pallet measurements, cm	120 x 80
Pallet strengthening	Perforated film wrap
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.


Transportation of the pallets

Lifting	4 ways, double stack
Number of pallets in a truck/refrigerator	60
Number of pallet in 40ft HCPW container	56

Product visualization



BAG MODEL



UAB Vli Timber
www.vlitimber.eu
 Company code: 302440414
 VAT code LT100004940617
 Registration address: Graživietės g. 5, Kurkliai II, Anykščių raj.

Bank name: AB ŠIAULIŲ BANKAS
 Address: Tilžės g. 149, Šiauliai, Lietuva
 IBAN: LT58 7182 1000 0807 0409
 SWIFT code: CBSBLT26

Sparky bag, 14 cm

Description

Kiln dried kindling in net bags.

Product

Name	SPARKY BAG, 14cm
Type of wood	Mix conifer
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, metal details, etc.)
Certificate	FSC 100%
Moisture*	< 12%
Firewood length	14 cm (0,5 cm deviation)
Firewood diameter	1-3 cm
Bag weight	>2.5 kg
Bag size, cm	35 x 50
Palletisation	84 bags per pallet
Pallet weight	320 kg
Product code	UCKEC14N84

Packaging

Pallet measurements	Euro pallet 120x80
Treatment	Pallets comply with the requirements of IPPC certificate using kilns for heat treatment. Wood planks may contain bark and/or discoloration.

Transportation of the pallets

Lifting	4 way pallet
Number of pallets in a full truck/refrigerator	64
Number of pallets in 45ft HCPW container	64

Product visualization



TORCHES

Evening Lighter, birch 25 cm

Description

Kiln dried birch Evening Lighter in pallets.

Product

Name	Evening Lighter, birch 25 cm
Type of wood	Silver Birch (Betula Pendula)
Wood quality*	Premium quality. Free from growth, mould or other contamination (paints, mental details, etc.)
Certificate	FSC 100% on request
Moisture*	< 18%
Swedish Torch height*	25 cm (1 cm deviation)
Swedish Torch diameter*	16-21 cm
Palletization	24 units in a row, 4 rows in a pallet, 96 units per pallet
Pallet weight	400 kg
Package	Evening Lighter package with firestarter
Product code	QBEGN25N96

* See moisture measurement procedure.

Packaging

Pallet standard	Pallet designed by Vli Timber
Pallet measurements, cm	120 x 80
Pallet strengthening	Net wrapped, carton sheets between layers

Transportation of the pallets

Lifting	4 way pallet, double-stack
Number of pallets in a truck/refrigerator	60
Number of pallets in 45ft HCPW container	60-64

Product visualization

